

Joncryl[®] 63

Product Description	Joncryl 63 is a low VOC solution of Joncryl 67, a high molecular weight dispersion resin for pigment dispersion applications.
Key Features & Benefits	<ul style="list-style-type: none">- Promotes resolubility- Good color development- Low VOC- High viscosity with low solids
Chemical Composition	Styrene acrylic resin solution

Properties

Typical Properties	Appearance		clear liquid
	Non-volatile at 145°C	%	30.5
	pH at 25°C		8.5
	Viscosity at 25°C	cps	5,000
	Molecular weight (Mw)		13,000
	Acid number (NV)		213
	Density at 25°C	g/cm ³	1.07
	MFFT	°C	11
	Tg	°C	73
	Freeze-thaw stable		Yes
	Total VOC	% wt	0.5


These typical values should not be interpreted as specifications.

Applications

Joncryl 63 is a low VOC solution of Joncryl 67, a high molecular weight acrylic resin designed for high quality aqueous pigment dispersions. The high molecular weight of this product also contributes to the formulation of efficient, high viscosity, low VOC printing inks.

Joncryl 63 is recommended for applications such as:

- Pigment dispersions for printing ink applications
- Printing inks for flexographic or gravure applications



Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Joncryl 63.

Storage

Please refer to the "Handling and Storage of polymer dispersions" brochure.

Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. **NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE.** Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

Joncryl is a registered trademark of BASF Group.

© BASF Corporation, 2019



BASF Corporation is fully committed to the Responsible Care® Initiative in the USA, Canada, and Mexico.
For more information on Responsible Care® go to:
U.S.: www.basf.us/responsiblecare_usa
Canada: www.basf.us/responsiblecare_canada
México: www.basf.us/responsiblecare_mexico

BASF Corporation
Dispersions and Resins
11501 Steele Creek Road
Charlotte, North Carolina 28273
Phone: (800) 251 – 0612
Email: CustCare-Charlotte@basf.com
Email: edtech_info@basf.com
www.basf.us/dpsolutions