

# Joncryl<sup>®</sup> DFC 3025

<b>Product Description</b>	Joncryl DFC 3025 is a food contact compliant, medium molecular weight resin solution for printing ink, overprint varnish, and functional packaging coating applications.
<b>Key Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>- FDA compliant*</li><li>- Promotes gloss, holdout, and resolubility</li><li>- Very low VOC</li></ul>
<b>Chemical Composition</b>	Styrene acrylic resin solution

\*The FDA status is available upon request from the contact information provided below.

## Properties

<b>Typical Properties</b>	Appearance		clear liquid
	Non-volatile	%	35.4
	pH at 25°C		9.0
	Viscosity at 25°C	cps	5,500
	Molecular weight (Mw)		5,800
	Acid number (NV)		220
	Density at 25°C	g/cm <sup>3</sup>	1.07
	Tg	°C	95
	Freeze-thaw stable		Yes
	Total VOC	% wt	< 0.2

These typical values should not be interpreted as specifications.

## Applications

Joncryl DFC 3025 is a solution of a mid-range molecular weight acrylic resin. It provides gloss, holdout, and resolubility to inks and overprint varnishes for food contact applications. It may be used in paper coatings and polyolefin film applications that require direct contact with food in a broad range of conditions. Please request a Food Contact Statement for details.

Joncryl DFC 3025 is recommended for applications such as:

- Printing ink applications
- Overprint varnishes for commercial, publication, or packaging applications

---

## **Safety**

### **General**

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

### **Safety Data Sheet**

All safety information is provided in the Safety Data Sheet for Joncryl DFC 3025.

---

## **Storage**

Please refer to the "Handling and Storage of polymer dispersions" brochure.

---

## Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. **NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE.** Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

*Joncryl is a registered trademark of BASF Group.*

© BASF Corporation, 2019



BASF Corporation is fully committed to the Responsible Care® Initiative in the USA, Canada, and Mexico.  
For more information on Responsible Care® go to:  
U.S.: [www.basf.us/responsiblecare\\_usa](http://www.basf.us/responsiblecare_usa)  
Canada: [www.basf.us/responsiblecare\\_canada](http://www.basf.us/responsiblecare_canada)  
México: [www.basf.us/responsiblecare\\_mexico](http://www.basf.us/responsiblecare_mexico)

**BASF Corporation**  
Dispersions and Resins  
11501 Steele Creek Road  
Charlotte, North Carolina 28273  
Phone: (800) 251 – 0612  
Email: [CustCare-Charlotte@basf.com](mailto:CustCare-Charlotte@basf.com)  
Email: [edtech\\_info@basf.com](mailto:edtech_info@basf.com)  
[www.basf.us/dpsolutions](http://www.basf.us/dpsolutions)