

Joncryl[®] DFC 3030

Product Description	Joncryl DFC 3030 is soft film forming, food contact compliant, rheology controlled (RC) acrylic emulsion for printing ink, overprint varnish, and functional packaging coating applications.
Key Features & Benefits	<ul style="list-style-type: none">- FDA compliant*- Water and grease resistant- Very low VOC- High coefficient of friction (COF)
Chemical Composition	RC acrylic emulsion

**The FDA status is available upon request from the contact information provided below.*

Properties

Typical Properties

Appearance		translucent emulsion
Non-volatile	%	47.4
pH at 25°C		7.9
Viscosity at 25°C	cps	1,150
Molecular weight (Mw)		> 200,000
Acid number (NV)		64
Density at 25°C	g/cm ³	1.04
MFFT	°C	< 5
Tg	°C	- 27
Freeze-thaw stable		Yes
Total VOC	% wt	< 0.1

These typical values should not be interpreted as specifications.

Applications

Joncryl DFC 3030 is a soft film forming, RC acrylic emulsion that provides flexibility, film formation, and water resistance to ink, overprint varnish, and functional packaging coating formulations. It may be used in paper coatings and polyolefin film applications that require direct contact with food in a broad range of conditions. Please request a Food Contact Statement for details.

Joncryl DFC 3030 is recommended for applications such as:

- Printing inks
- Overprint varnishes for packaging, commercial, or publication applications
- Functional packaging coatings for barrier applications

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Joncryl DFC 3030.

Storage

Please refer to the "Handling and Storage of polymer dispersions" brochure.

Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. **NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE.** Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

Joncryl is a registered trademark of BASF Group.

© BASF Corporation, 2019



BASF Corporation is fully committed to the Responsible Care® Initiative in the USA, Canada, and Mexico. For more information on Responsible Care® go to:
U.S.: www.basf.us/responsiblecare_usa
Canada: www.basf.us/responsiblecare_canada
México: www.basf.us/responsiblecare_mexico

BASF Corporation
Dispersions and Resins
11501 Steele Creek Road
Charlotte, North Carolina 28273
Phone: (800) 251 – 0612
Email: CustCare-Charlotte@basf.com
Email: edtech_info@basf.com
www.basf.us/dpsolutions