

Joncryl[®] ECO 2189

Product Description Joncryl ECO 2189 is a hard, non-film forming, glycol ether-free¹, Rheology Controlled (RC) acrylic emulsion for printing ink and overprint varnish applications.

Key Features & Benefits

- Ultra low VOC²
- HAP free
- Fast dry
- Low odor

Chemical Composition RC acrylic emulsion

¹The glycol ether level in this product averages less than 0.002 weight percent.

²The Volatile Organic Compounds (VOC) for this product are below the gas chromatography detection of 0.005 weight percent.

Properties

Typical Properties

Appearance		opaque emulsion
Non-volatile	%	48.0
pH at 25°C		8.3
Viscosity at 25°C	cps	600
Molecular weight (Mw)		> 200,000
Acid number (NV)		50
Density at 25°C	g/cm ³	1.05
MFFT	°C	> 80
Tg	°C	98
Freeze-thaw stable		Yes
Total VOC	% wt	< 0.1

These typical values should not be interpreted as specifications.

Application

Joncryl ECO 2189 is a hard, non-film forming, RC acrylic emulsion that is glycol ether free and is ultra-low VOC. This emulsion provides gloss and holdout in flexo and gravure formulations for paper and paperboard inks and overprint varnish applications. As a modifier, it also contributes to improved dry speed.

Joncryl ECO 2189 is recommended for applications such as:

- Printing inks for flexographic or gravure applications
- Overprint varnishes for packaging, commercial, or publication applications

Joncryl ECO polymers allow the formulator to develop ultra-low VOC, glycol ether-free products to meet industry standards. These polymers provide an 80% reduction in VOC compared to conventional water-based polymers. They are ideal for demanding packaging applications like the confectionary and food packaging markets that cannot tolerate solvent odor contamination. Additionally, the excellent compatibility and printability of Joncryl ECO polymers makes them an ideal system for next generation inks and overprint varnishes.

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Joncryl ECO 2189.

Storage

Please refer to the "Handling and Storage of Polymer Dispersions" brochure.

Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. **NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE.** Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

Joncryl is a registered trademark of BASF Group.

© BASF Corporation, 2019



BASF Corporation is fully committed to the Responsible Care® initiative in the USA, Canada, and Mexico. For more information on Responsible Care® go to:
U.S.: www.basf.us/responsiblecare_usa
Canada: www.basf.us/responsiblecare_canada
México: www.basf.us/responsiblecare_mexico

BASF Corporation
Dispersions and Resins
11501 Steele Creek Road
Charlotte, North Carolina 28273
Phone: (800) 251 – 0612
Email: CustCare-Charlotte@basf.com
Email: edtech_info@basf.com
www.basf.us/dpsolutions