

Joncryl[®] HPB 1702

Product Description	<i>Joncryl HPB 1702 is an acrylic emulsion designed to provide grease resistance when applied to paper and board packaging.</i>
Key Features & Benefits	<ul style="list-style-type: none">- <i>Excellent grease resistance at room temperature and up to 60 °C</i>- <i>Excellent flexibility provides grease resistance after coated substrate is creased or folded</i>- <i>Good block resistance</i>- <i>Heat sealable</i>
Chemical Composition	Acrylic emulsion

Properties

Typical Characteristics	Appearance	opaque emulsion
	Non-volatile	49.0
	pH	7.7
	Viscosity at 25°C (Brookfield #2 LV spindle, 30 rpm)	125 cps
	Density at 25°C	1.04
	MFFT	<5
	Freeze-thaw stable	No

* These typical values should not be interpreted as specifications.

Applications

Joncryl HPB 1702 is a film forming binder designed to be printed on paper and paperboard to provide a highly grease resistant coating. Optimal performance is achieved when barrier coatings are applied in two layers to ensure a continuous coating layer.

Joncryl HPB 1702 is recommended for applications such as:

- Boxes, trays and other food packaging and food service items

Starting Point Formulation

The following starting point formulation is recommended for initial evaluations of Joncryl[®] HPB 1702. Further optimization of the formulations will be required to achieve desired results for specific applications.

Component	Wt.%
Joncryl [®] HPB 1702	79.9%
Joncryl [®] DFC 3025	15.0%
Joncryl [®] Wax 28	5.0%
FoamStar [®] SI 2240	0.1%
Water	As needed for application viscosity
Target dry coating weight: 5-7 gsm	

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Joncryl HPB 1702.

Important

WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, THEY ARE PROVIDED FOR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, BASF RECOMMENDS THAT THE READER MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR A PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESCRIPTIONS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF BASF'S TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTIONS, DESIGNS, DATA OR INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT THE READER'S RISK.

Joncryl is a registered trademark of BASF Group.

© BASF Corporation, 2023



BASF Corporation is fully committed to the Responsible Care® Initiative in the USA, Canada, and Mexico.

For more information on Responsible Care® go to:

U.S.: www.basf.us/responsiblecare_usa

Canada: www.basf.us/responsiblecare_canada

México: www.basf.us/responsiblecare_mexico

BASF Corporation

Dispersions and Resins

11501 Steele Creek Road

Charlotte, North Carolina 28273

Phone: (800) 251 – 0612

Email: CustCare-Charlotte@basf.com

www.basf.us/dpsolutions