

Joncryl[®] LMV 7014

Product Description	Joncryl LMV 7014 is a low maintenance, pH-stable acrylic colloidal emulsion for pigment dispersion and as a binder in printing ink applications.
Key Features & Benefits	<ul style="list-style-type: none">- Low pH maintenance- Excellent resolubility- Cost effective
Chemical Composition	Acrylic colloidal emulsion

Properties

Typical Properties	Appearance		white emulsion
	Non-volatile	%	34.0
	pH at 25°C		4.0
	Viscosity at 25°C	cps	< 100
	Molecular weight (Mw)		45,000
	Acid number (NV)		201
	Density at 25°C	g/cm ³	1.08
	MFFT	°C	< 5
	Tg	°C	50
	Freeze-thaw stable		Yes
	Total VOC	% wt	< 0.1

These typical values should not be interpreted as specifications.

Applications


Joncryl LMV 7014 is a low maintenance, pH-stable acrylic colloidal emulsion designed as a sole vehicle for carbon black ink. Joncryl LMV 7014 can also be used as a letdown vehicle for organic pigment colors. In addition, it can be used to disperse inorganic pigments.

Joncryl LMV 7014 is recommended for applications such as:

- Sole vehicle for carbon black ink
- Letdown vehicle for organic pigment colors
- To disperse inorganic pigments

Joncryl LMV 7014 is compatible with the full range of Joncryl LMV polymers that enable the formulation of low maintenance inks that do not rely on press-side additions of ammonia or organic amines to maintain press stability.

Viscosity vs. pH at 22% NV



Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Joncryl LMV 7014.

Storage

Please refer to the "Handling and Storage of polymer dispersions" brochure.

Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. **NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE.** Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

Joncryl is a registered trademark of BASF Group.

© BASF Corporation, 2019



BASF Corporation is fully committed to the Responsible Care® Initiative in the USA, Canada, and Mexico.
For more information on Responsible Care® go to:
U.S.: www.basf.us/responsiblecare_usa
Canada: www.basf.us/responsiblecare_canada
México: www.basf.us/responsiblecare_mexico

BASF Corporation
Dispersions and Resins
11501 Steele Creek Road
Charlotte, North Carolina 28273
Phone: (800) 251 – 0612
Email: CustCare-Charlotte@basf.com
Email: edtech_info@basf.com
www.basf.us/dpsolutions