

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09

Version: 4.0

Page: 1/9

(30566525/SDS_GEN_MX/EN)

1. Identification

Product identifier used on the label

Dispex® Ultra PX 4575

Recommended use of the chemical and restriction on use

Recommended use*: Coating raw material for industrial applications, additives for inks, varnishes or coatings, dispersing agent

Recommended use*: Raw material

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Mexicana S.A. de C.V.

Av. Insurgentes Sur 975

Col. CD. De Los Deportes,

C.P. 03710 Ciudad de México

MÉXICO

Telephone: +52 55 5325 2600

Emergency telephone number

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification

Chemical family: additives, in water

2. Hazards Identification

According to Regulation NOM-018-STPS-2015

Classification of the product

No need for classification according to GHS criteria for this product.

Label elements

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 2/9
(30566525/SDS_GEN_MX/EN)

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Due to the low concentrations in this product, sensitization is not expected to occur.

3. Composition / Information on Ingredients

According to Regulation NOM-018-STPS-2015

<u>CAS Number</u>	<u>Weight %</u>	<u>Chemical name</u>
52-51-7	>= 0.0 - < 0.1%	bronopol
7722-84-1	>= 0.1 - < 0.2%	hydrogen peroxide
1310-73-2	>= 0.3 - < 0.5%	sodium hydroxide

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Seek medical attention.

If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 3/9
(30566525/SDS_GEN_MX/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).
Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Place absorbed material in the same container as the spilled substance/product for disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Protect from temperatures below: 0 °C

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 4/9
(30566525/SDS_GEN_MX/EN)

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

sodium hydroxide	Exposure limits	CLV 2 mg/m ³ ;
hydrogen peroxide	Exposure limits	TWA value 1 ppm ;

Advice on system design:

Provide local exhaust ventilation to control vapours/mists.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of vapour/aerosol release. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	product specific	
Odour threshold:	No applicable information available.	
Colour:	yellow	
pH value:	approx. 8 - 9 (100 %(m))	
	not applicable	
Freezing point:	not determined	
Flash point:	> 100 °C	
Flammability:	not flammable	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	not applicable	(DIN 51794)
Vapour pressure:	not determined	
Density:	approx. 1.07 g/cm ³ (20 °C)	(ISO 2811-3)
Relative density:	1.07 (20 °C)	
Vapour density:	not determined	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	not determined	
Viscosity, dynamic:	approx. 200 mPa.s (20 °C)	

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 5/9
(30566525/SDS_GEN_MX/EN)

Solubility in water:	(20 °C) miscible
Solubility (qualitative):	soluble
Evaporation rate:	solvent(s): polar solvents, not determined

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.
The product is chemically stable.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products known.

Thermal decomposition:
not determined

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Inhalation

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 6/9
(30566525/SDS_GEN_MX/EN)

Type of value: LC50
Species: rat
Exposure time: 4 h
not determined

Dermal

Type of value: LD50
Species: rat
not determined

Irritation / corrosion

Assessment of irritating effects: May cause slight irritation to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

Skin

Species: In vitro assay
Result: non-irritant
Method: OECD Guidelines 431/439

Eye

Species: In vitro assay
Result: non-irritant
Method: other
Tested as a preparation.

Sensitization

Assessment of sensitization: The product contains a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1) (CAS-No.:55965-84-9). May produce an allergic reaction. Due to the low concentrations in this product, sensitization is not expected to occur.

Draize test

Species: guinea pig
Result: Non-sensitizing.
The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from the properties of the individual components.

Genetic toxicity

Assessment of mutagenicity: No data was available concerning mutagenic activity.

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Teratogenicity

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 7/9
(30566525/SDS_GEN_MX/EN)

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

12. Ecological Information

Toxicity

Toxicity to fish

LC50 (96 h) > 100 mg/l, *Leuciscus idus*

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates

No data available.

Aquatic plants

No data available.

Chronic toxicity to fish

No data available regarding toxicity to fish.

Chronic toxicity to aquatic invertebrates

No data available regarding toxicity to daphnids.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

The polymer component of the product is poorly biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested.

Bioaccumulation potential

At the present state of knowledge, no negative ecological effects are expected.

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

According to experience, the material has no harmful effect on the environment.

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 8/9
(30566525/SDS_GEN_MX/EN)

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with local authority regulations.

Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Not applicable

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2018/10/09

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Safety Data Sheet

Dispex® Ultra PX 4575

Revision date : 2018/10/09
Version: 4.0

Page: 9/9
(30566525/SDS_GEN_MX/EN)

Dispex® Ultra PX 4575 is a registered trademark of BASF Mexicana or BASF SE

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET