

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25

Version: 2.0

Page: 1/9

(30744741/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Efka® PB 2770

Recommended use of the chemical and restriction on use

Recommended use*: additives for inks, varnishes or coatings, Air release agent (deaerator), defoamer

Recommended use*: for industrial use only

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.

5025 Creebank Road

Building A, Floor 2

Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Chemical family: polyacrylate

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

No need for classification according to GHS criteria for this product.

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25
Version: 2.0

Page: 2/9
(30744741/SDS_GEN_CA/EN)

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

n-butanol

CAS Number: 71-36-3

Content (W/W): >= 0.3 - < 1.0%

Synonym: 1-Butanol; n-Butanol

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Seek medical attention.

If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Information on: n-butanol

Symptoms: Overexposure may cause: , headache, dizziness, coordination disorder, coma, lacrimation, loss of hearing

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25
Version: 2.0

Page: 3/9
(30744741/SDS_GEN_CA/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
No data available.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).
Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Place absorbed material in the same container as the spilled substance/product for disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25

Version: 2.0

Page: 4/9

(30744741/SDS_GEN_CA/EN)

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

n-butanol	ACGIH, US:	TWA value 20 ppm ;
	OSHA Z1:	PEL 100 ppm 300 mg/m3 ;

Advice on system design:

No applicable information available.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of vapour/aerosol release. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

Body protection:

No applicable information available.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	alcohol-like	
Odour threshold:	No applicable information available.	
Colour:	yellow to orange	
pH value:	not determined	
solidification temperature:	approx. 0 °C (1.013 hPa)	(capillary tube method)
Melting point:	No data available.	
Freezing point:	No data available.	
boiling temperature:	> 100 °C (1,013 hPa)	
Sublimation point:	No applicable information available.	
Flash point:	201.5 °C	(ISO 2719)
Flammability:	not flammable	
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	404 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	23.4 hPa (20 °C)	(estimated)
Density:	0.9564 g/cm3 (20 °C)	(ISO 2811-3)

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25

Version: 2.0

Page: 5/9

(30744741/SDS_GEN_CA/EN)

Relative density:	0.9564 (20 °C, 1.013 hPa)	(calculated)
Vapour density:	not determined	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures, No data available.	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	not determined	
Viscosity, dynamic:	1,740 mPa.s (20 °C)	
Viscosity, kinematic:	No applicable information available.	
Solubility in water:	not soluble	
Solubility (quantitative):	insoluble	
Solubility (qualitative):	soluble	
	solvent(s): organic solvents,	
Molar mass:	No applicable information available.	
Evaporation rate:	not determined	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.
The product is chemically stable.

Conditions to avoid

No data available.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products known.

Thermal decomposition:
not determined

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25
Version: 2.0

Page: 6/9
(30744741/SDS_GEN_CA/EN)

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: No applicable information available.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (other)

The statement for acute oral toxicity was derived from products of similar composition.

Inhalation

Type of value: LC50

Species: rat

Exposure time: 4 h

not determined

Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (other)

The statement for acute dermal toxicity was derived from products of similar composition.

Assessment other acute effects

No data available.

Irritation / corrosion

Assessment of irritating effects: No applicable information available.

Skin

Species: rabbit

Result: non-irritant

Method: other

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Eye

Species: rabbit

Result: non-irritant

Method: other

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25

Version: 2.0

Page: 7/9

(30744741/SDS_GEN_CA/EN)

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Teratogenicity

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

12. Ecological Information

Toxicity

Toxicity to fish

LC50 (96 h) > 100 mg/l, Fish (other, other)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic invertebrates

LC50 (48 h) > 100 mg/l, daphnia (other, other)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

EC50 (72 h) > 100 mg/l, algae (other, other)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

other

bacteria/EC50 (0.5 h):

not determined

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Not readily biodegradable (by OECD criteria). The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested.

Mobility in soil

Assessment transport between environmental compartments

No data available.

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25

Version: 2.0

Page: 8/9

(30744741/SDS_GEN_CA/EN)

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with local authority regulations.

Container disposal:

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA released / listed

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2021/08/25

Safety Data Sheet

Efka® PB 2770

Revision date : 2021/08/25

Version: 2.0

Page: 9/9

(30744741/SDS_GEN_CA/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Efka® PB 2770 is a registered trademark of BASF Canada or BASF SE
END OF DATA SHEET