

Dispex® Ultra PA 4550

(Old: Efka® 4550)





Modified polyacrylate dispersing agent for VOC-free applications

Dispex® Ultra PA 4550 is a high-molecular weight dispersing agent for inorganic and organic pigments. It has a broad compatibility in most commonly used water-based coatings. Its solubility is independent of pH and does not need neutralization before use. Dispex® Ultra PA 4550 can be used exclusively as a dispersing agent or to formulate resin-free pigment concentrates for VOC-free applications. It complements the use of Dispex® Ultra PX 4275 very well.

Performance Highlights

- Excellent stabilization of pigment dispersion
- Improved flocculation stability
- Anti-flooding behavior
- Improved gloss and color strength



Dispex® Ultra PA 4550: Characteristic Values

Property	Value
Appearance	clear, slightly yellowish liquid
Color Gardner	≤ 6
Density	~ 1.06 g/cm ³
Solids	~ 28 mg KOH/g
Active ingredients	50%
Solvent	water



Contacts worldwide

Asia

BASF East Asia Regional Headquarters Ltd.
45/F., Jardine House
No. 1 Connaught Place
Central
Hong Kong
formulation-additives-asia@basf.com

Europe

BASF SE
Formulation Additives
67056 Ludwigshafen
Germany
formulation-additives-europe@basf.com

North America

BASF Corporation
11501 Steele Creek Road
Charlotte, NC 28273
USA
formulation-additives-nafta@basf.com

South America

Rochaverá - Crystal Tower
Av. das Nações Unidas, 14.171
Morumbi - São Paulo-SP
Brazil
formulation-additives-south-america@basf.com

www.basf.com/formulation-additives

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. When handling these products, advice and information given in the safety data sheet must be complied with. Further, protective and workplace hygiene measures adequate for handling chemicals must be observed.

® = registered trademark of the BASF Group