

# Efka® PB 2744



## Excellent defoamer for fast and effective de-aeration of 100% solids systems


Efka® PB 2744 is a new, ultra low VOC de-aerator providing excellent efficiency, long-term persistency and effectiveness against macro and micro-foam. It enhances leveling and surface smoothness while improving stability under shear stress and storage conditions.

Efka® PB 2744 is recommended for high solids and solvent-free systems, e.g. 2-Pack PUR systems for flooring applications. Further application areas are ultra-high solids industrial applications and UV applications.

Efka® PB 2744 is especially designed for industrial flooring compositions which have to comply with latest construction norms (e.g. AgBB).

### Efka® PB 2744 vs benchmark

in an aromatic flooring system (addition level: 1%)



### Efka® PB 2744: Characteristic Values

Property	Value
Appearance	colorless to slightly yellowish, hazy liquid
Viscosity (23 °C)	~ 7500 mPa.s
Density (DIN 51757)	~ 0.90 g/cm <sup>3</sup>

### Performance Highlights

- Fast and effective de-aeration
- Excellent efficiency
- Improved leveling
- Imparts surface smoothness
- Excellent long-term persistency

### Sustainability Highlights

- Polymer based with small amount of silicone
- Ultra low VOC
- Hazard label-free



## Contacts worldwide

### Asia

BASF East Asia Regional Headquarters Ltd.  
45/F., Jardine House  
No. 1 Connaught Place  
Central  
Hong Kong  
formulation-additives-asia@basf.com

### Europe

BASF SE  
Formulation Additives  
67056 Ludwigshafen  
Germany  
formulation-additives-europe@basf.com

### North America

BASF Corporation  
11501 Steele Creek Road  
Charlotte, NC 28273  
USA  
formulation-additives-nafta@basf.com

### South America

BASF S.A.  
Rochaverá - Crystal Tower  
Av. das Nações Unidas, 14.171  
Morumbi - São Paulo-SP  
Brazil  
formulation-additives-south-america@basf.com

[www.basf.com/formulation-additives](http://www.basf.com/formulation-additives)

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. When handling these products, advice and information given in the safety data sheet must be complied with. Further, protective and workplace hygiene measures adequate for handling chemicals must be observed.

® = registered trademark of the BASF Group