

**JONCRYL cost in use products** support inks and coatings that won't break the bank

## JONCRYL<sup>®</sup> 689-A

Versatile solid resin for cost efficiency in printing inks and OPV applications

### Key Features & Benefits

- Very efficient dilution profile enables lower-solids inks.
- Enhances gloss, resolubility, and holdout of inks and OPV's.
- Glycol ether free

### Properties

Appearance	Clear Solid Resin
Molecular Weight	13,000
Non Volatile	>99%
Acid Value	205 mg KOH/g
Density at 25°C	1.16 g/cm <sup>3</sup>
Tg	104°C

# JONCRYL® 689-A

Versatile solid resin for cost efficiency in printing inks and OPV applications

JONCRYL 689-A provides good printability, transfer and resolubility, and improves gloss and holdout at low solids levels.

## OPV performance at equal viscosity



### Product Performance Comparison:

- Dilutability enables similar performance using less resin.
- Hold-out improved vs. competitive offerings

### JONCRYL 689-A provides gloss, holdout, and resolubility in a variety of applications including:

- Label Inks
- Folding Carton Inks
- Corrugated Inks
- Overprint Varnish (OPV)

## Contacts

Please contact our technical service department for more help on formulating with products from the JONCRYL product line.

**Asia**  
China  
Phone: +852 2731-0111  
Dispersions-pigments-  
asia@basf.com

**Europe, Africa, West Asia**  
Netherlands  
Phone: +31 513 619-619  
resins@basf.com

**North America**  
USA  
Phone: +1 800 231-7868  
www.basf/us/dpsolutions

**South America**  
Brazil  
Phone: +55 11 2039-2300  
packaging-sa@basf.com

BASF Corporation, Charlotte, NC

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our products to ensure that any proprietary rights and existing laws and legislation are observed. When handling these products, advice and information given in the safety data sheet must be complied with. Further, protective and workplace hygiene measures adequate for handling chemicals must be observed. (01/2018)

® = Registered trademark of the BASF Group