

Acronal A 240 na

Acronal® A 240 na is an APEO-free, aqueous adhesive dispersion used to manufacture pressure-sensitive adhesives for self-adhesives articles

Chemical nature

Acrylic copolymer dispersion containing carboxyl groups

Properties

Typical Properties

Solids content	%	~ 50.0
pH value		~ 5.5
Viscosity at 23 °C, (Brookfield RV, Spindle #2, at 100 rpm)	cP	100 – 225

Further properties of the dispersion

Density	g/cm ³	approx. 1.1
Average particle size	µm	approx. 0.2
Film-forming temperature	°C	< 1 min.
Freeze/thaw resistance		not resistant to freezing
Dispersion type		anionic

Properties of the film

Bulk density	g/cm ³	ca. 1.04
Glass transition temperature T _g (DSC)	°C	ca. - 30
Appearance		clear, transparent
Stability to light		good
Surface		highly tacky

Compatible with

Polymer dispersions

Anionic dispersions and those containing a protective colloid.

Thickeners

Rheovis® PU, Rheovis® AS 1125

Plasticizers

Loxanol® PL 5060

Resins

Modified and unmodified natural resins; these are added as solutions or dispersions.

* These typical values should not be interpreted as specifications.

Application

Acronal A 240 na is used in the manufacture of self-adhesive labels, films and tapes. Due to excellent plasticizer resistance, it is particularly recommended for coating plasticized PVC film. However, since the effect of plasticizers on pressure-sensitive adhesives depends on the type and quantity of the plasticizers in the film, thorough trials, particularly storage trials, must be carried out before starting production of such articles.

Processing

If Acronal A 240 na is to be mixed with another dispersion, the pH should be adjusted to the slightly alkaline range. Note that the viscosity increases when the pH is raised.

Adhesives based on Acronal A 240 na can be applied to the carrier material with the usual coating systems; e. g., mayer rod, reverse roll, reverse gravure, vario gravure, slot die and curtain applicators. In the event of poor wetting, it is often helpful to add about 0.5% of a wetting agent such as Lumiten® I-SC.

We recommend adding a preservative to adhesives and coating materials that contain Acronal A 240 na to protect them from microbial attack, particularly if their pH lies in the neutral range. The suitability of such additives must be verified and monitored in trials.

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Acronal A 240 na.

Storage

Please refer to the "Handling and Storage of polymer dispersions" brochure.

Important

The descriptions, designs, and data contained herein are presented for your guidance only. Because there are many factors under your control which may affect processing or application/use it is necessary for you to make appropriate tests to determine whether the product is suitable for your particular purpose prior to use. **NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, OR DATA MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, DATA OR DESIGNS PROVIDED BE PRESUMED TO BE A PART OF OUR TERMS AND CONDITIONS OF SALE.** Further, you expressly understand and agree that the descriptions, designs, and data furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for same or results obtained from use thereof, all such being given to you and accepted by you at your risk.

Acronal is a registered trademark of BASF Group.

© BASF Corporation, 2022



Responsible Care®
Good Chemistry at Work

BASF Corporation is fully committed to the Responsible Care® Initiative in the USA, Canada, and Mexico.

For more information on Responsible Care® go to:

U.S.: www.basf.us/responsiblecare_usa

Canada: www.basf.us/responsiblecare_canada

México: www.basf.us/responsiblecare_mexico

BASF Corporation
Dispersions and Resins
11501 Steele Creek Road
Charlotte, North Carolina 28273
Phone: (800) 251 – 0612
CustCare-Charlotte@basf.com
Email: edtech_info@basf.com
www.basf.us/dpsolutions